

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	40	(324/708.ccls.) and @ad<"20030522"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 10:25
S2	403	(324/707,691.ccls.) and @ad<"20030522"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 10:17
S3	241	(324/649,600.ccls.) and @ad<"20030522"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 10:17
S4	1	S1 and (check\$3 detect\$3 sens\$3 measur\$5 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5) near\$3 (crack\$3 de\$1grad\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 11:03
S5	7	S2 and (check\$3 detect\$3 sens\$3 measur\$5 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5) near\$3 (crack\$3 de\$1grad\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 10:39
S6	6	S3 and (check\$3 detect\$3 sens\$3 measur\$5 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5) near\$3 (crack\$3 de\$1grad\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 10:40

S7	2	S5 and capacitor		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 10:58
S8	2	S6 and capacitor		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 11:01
S9	1172	((check\$3 detect\$3 sens\$3 measur\$5 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5) near\$3 crack\$3) with metal) and @ad<"20030522"		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 16:29
S10	1	S9 and capacitor with conductor		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 11:10
S11	3	S9 and capacitor same conductor		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 11:29
S12	4	S9 and capacitor same resonan\$5		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 15:19

S13	6	S9 and capacitor and resonan\$5 and (conductor resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 16:31
S14	1	de-10046094-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 15:08
S15	2	de-19923143-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 15:09
S16	2	de-19810674-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 15:09
S17	2	de-4419750-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 15:09
S18	1	de-3636321-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 15:10

S19	2	ep-685297-\$.did.		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 15:11
S20	1	ep-217242-\$.did.		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 15:11
S21	2	jp-06118618-\$.did.		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 15:12
S22	10	((("6948437") or ("5647667") or ("4655077") or ("4744241") or ("4026660"))).PN.		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/01 15:12
S23	9	S9 and capacitor and resonan\$5		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 15:14
S24	4223	((check\$3 detect\$3 sens\$3 measur\$5 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5) near\$3 (void crack\$3 corrosion)) with metal) and @ad<"20030522"		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 15:17

S25	8	S24 and capacitor same resonan\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 15:21
S26	12	S24 and capacitor and resonan\$5 and (conductor resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 15:21
S27	3245	((check\$3 detect\$3 sens\$3 measur\$5 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5) near\$3 crack\$3).ti.) and @ad<"20030522"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 16:29
S28	9	S27 and capacitor and resonan\$5 and (conductor resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/01 16:33